


















CATALOG PAGE NUMBER	KAYI	MODEL	VOLTAGE (V)	HERTZ (Hz)	MOTOR POWER (kW)	SPEED (rpm/min-1)	FLOW RATE (m³/h)	SOUND LEVEL (dB(A)-1m)
		MODEL	VOLTAGE (V)	HERTZ (Hz)	MOTOR POWER (kW)	SPEED (d/dk)	FLOW RATE (m³/h)	SOUND LEVEL (dB(A)-1m)
11	 <p><b>JAXI</b></p>	JAXI 315 F300 °C / 2H.	380	50	0,20 - 0,80	1.450 - 2.900	2.320 - 4.640	71 - 85
		JAXI 355 F300 °C / 2H.	380	50	0,37 - 1,50	1.450 - 2.900	3.360 - 6.720	74 - 87
		JAXI 400 F300 °C / 2H.	380	50	0,50 - 2,20	1.450 - 2.900	4.835 - 9.670	76 - 90
		JAXI 450 F300 °C / 2H.	380	50	0,80 - 3,10	1.450 - 2.900	6.745 - 13.490	79 - 93
		JAXI 500 F300 °C / 2H.	380	50	1,10 - 4,40	1.450 - 2.900	8.950 - 17.900	81 - 95
		<b>JAXI 300 F400 °C / 2H.</b>	380	50	0,20 - 0,80	1.450 - 2.900	2.320 - 4.640	71 - 85
		<b>JAXI 355 F400 °C / 2H.</b>	380	50	0,37 - 1,50	1.450 - 2.900	3.360 - 6.720	74 - 87
		<b>JAXI 400 F400 °C / 2H.</b>	380	50	0,50 - 2,20	1.450 - 2.900	4.835 - 9.670	76 - 90
		<b>JAXI 450 F400 °C / 2H.</b>	380	50	0,80 - 3,10	1.450 - 2.900	6.745 - 13.490	79 - 93
		<b>JAXI 500 F400 °C / 2H.</b>	380	50	1,10 - 4,40	1.450 - 2.900	8.950 - 17.900	81 - 95
		13	 <p><b>JRAD</b></p>	JRAD 50 F300 °C / 2H.	380	50	0,30 - 1,20	750 - 1.500
JRAD 70 F300 °C / 2H.	380			50	0,55 - 2,20	750 - 1.500	3.500 - 7.009	43 - 58
JRAD 90 F300 °C / 2H.	380			50	0,55 - 2,20	750 - 1.500	3.800 - 7.641	46 - 62
<b>JRAD 90 F400 °C / 2H.</b>	380			50	0,30 - 1,20	750 - 1.500	2.850 - 5.760	38 - 54
<b>JRAD 70 F400 °C / 2H.</b>	380			50	0,55 - 2,20	750 - 1.500	3.500 - 7.009	43 - 58
<b>JRAD 90 F400 °C / 2H.</b>	380			50	0,55 - 2,20	750 - 1.500	3.800 - 7.641	46 - 62
<b>JRAD 90 F400 °C / 2H.</b>	380			50	0,55 - 2,20	750 - 1.500	3.800 - 7.641	46 - 62
15	 <p><b>AXI</b></p>	AXI 400-5-25	380	50	0,37	1450	2895	66
		AXI 450-5-25	380	50	0,55	1456	4180	69
		AXI 500-5-25	380	50	0,55	1453	5845	72
		AXI 560-5-25	380	50	0,75	1466	8150	75
		AXI 630-5-30	380	50	1,1	1465	13480	80
		AXI 710-5-30	380	50	1,5	1472	19210	83
		AXI 800-5-30	380	50	2,2	1459	25560	85
		AXI 800-5-35	380	50	3	1463	30940	89
		AXI 900-5-35	380	50	4	1471	39250	90
		AXI 900-5-40	380	50	5,5	1472	44635	93
		AXI 1000-5-40	380	50	7,5	1478	54570	94
		AXI 900-8-40	380	50	11	1454	46200	94
		AXI 1000-8-40	380	50	15	1456	62250	97
		AXI 1000-8-45	380	50	18,5	1458	69070	99
		AXI 1120-8-40	380	50	22	1471	86620	100
AXI 1120-8-45	380	50	30	1474	95270	102		
		TAXI 450-5-25 F300 °C / 2H.	380	50	0,55	1456	4180	69
		TAXI 500-5-25 F300 °C / 2H.	380	50	0,55	1453	5845	72





19	 <b>TAXI</b>	TAXI 560-5-25 F300 °C / 2H.	380	50	0,75	1466	8150	75
		TAXI 630-5-30 F300 °C / 2H.	380	50	1,1	1465	13480	80
		TAXI 710-5-30 F300 °C / 2H.	380	50	1,5	1472	19210	83
		TAXI 800-5-30 F300 °C / 2H.	380	50	2,2	1459	25560	85
		TAXI 800-5-35 F300 °C / 2H.	380	50	3	1463	30940	89
		TAXI 900-5-35 F300 °C / 2H.	380	50	4	1471	39250	90
		TAXI 900-5-40 F300 °C / 2H.	380	50	5,5	1472	44635	93
		TAXI 1000-5-40 F300 °C / 2H.	380	50	7,5	1478	54570	94
		TAXI 900-8-40 F300 °C / 2H.	380	50	11	1454	46200	94
		TAXI 1000-8-40 F300 °C / 2H.	380	50	15	1456	62250	97
		TAXI 1000-8-45 F300 °C / 2H.	380	50	18,5	1458	69070	99
		TAXI 1120-8-40 F300 °C / 2H.	380	50	22	1471	86620	100
TAXI 1120-8-45 F300 °C / 2H.	380	50	30	1474	95270	102		
23	 <b>TAXI</b>	TAXI 450-5-25 F400 °C / 2H.	380	50	0,55	1456	4180	69
		TAXI 500-5-25 F400 °C / 2H.	380	50	0,55	1453	5845	72
		TAXI 560-5-25 F400 °C / 2H.	380	50	0,75	1466	8150	75
		TAXI 630-5-30 F400 °C / 2H.	380	50	1,1	1465	13480	80
		TAXI 710-5-30 F400 °C / 2H.	380	50	1,5	1472	19210	83
		TAXI 800-5-30 F400 °C / 2H.	380	50	2,2	1459	25560	85
		TAXI 800-5-35 F400 °C / 2H.	380	50	3	1463	30940	89
		TAXI 900-5-35 F400 °C / 2H.	380	50	4	1471	39250	90
		TAXI 900-5-40 F400 °C / 2H.	380	50	5,5	1472	44635	93
		TAXI 1000-5-40 F400 °C / 2H.	380	50	7,5	1478	54570	94
		TAXI 900-8-40 F400 °C / 2H.	380	50	11	1454	46200	94
		TAXI 1000-8-40 F400 °C / 2H.	380	50	15	1456	62250	97
TAXI 1000-8-45 F400 °C / 2H.	380	50	18,5	1458	69070	99		
TAXI 1120-8-40 F400 °C / 2H.	380	50	22	1471	86620	100		
TAXI 1120-8-45 F400 °C / 2H.	380	50	30	1474	95270	102		
27	 <b>PAXI</b>	PAXI 450-5-25 EX-PROOF	380	50	0,55	1456	4180	69
		PAXI 500-5-25 EX-PROOF	380	50	0,55	1453	5845	72
		PAXI 560-5-25 EX-PROOF	380	50	0,75	1466	8150	75
		PAXI 630-5-30 EX-PROOF	380	50	1,1	1465	13480	80
		PAXI 710-5-30 EX-PROOF	380	50	1,5	1472	19210	83
		PAXI 800-5-30 EX-PROOF	380	50	2,2	1459	25560	85
		PAXI 800-5-35 EX-PROOF	380	50	3	1463	30940	89
		PAXI 900-5-35 EX-PROOF	380	50	4	1471	39250	90
		PAXI 900-5-40 EX-PROOF	380	50	5,5	1472	44635	93
		PAXI 1000-5-40 EX-PROOF	380	50	7,5	1478	54570	94
31	 <b>HAXI</b>	HAXI 400-5-25	380	50	0,37	1450	2895	66
		HAXI 450-5-25	380	50	0,55	1456	4180	69
		HAXI 500-5-25	380	50	0,55	1453	5845	72
		HAXI 560-5-25	380	50	0,75	1466	8150	75
		HAXI 630-5-30	380	50	1,1	1465	13480	80
		HAXI 710-5-30	380	50	1,5	1472	19210	83
		HAXI 800-5-30	380	50	2,2	1459	25560	85
		HAXI 800-5-35	380	50	3	1463	30940	89





31	 <b>HAXI</b>	HAXI 900-5-35	380	50	4	1471	39250	90
		HAXI 900-5-40	380	50	5,5	1472	44635	93
		HAXI 1000-5-40	380	50	7,5	1478	54570	94
		HAXI 900-8-40	380	50	11	1454	46200	94
		HAXI 1000-8-40	380	50	15	1456	62250	97
		HAXI 1000-8-45	380	50	18,5	1458	69070	99
		HAXI 1120-8-40	380	50	22	1471	86620	100
		HAXI 1120-8-45	380	50	30	1474	95270	102
35	 <b>DAXI</b>	DAXI 400-5-25	380	50	0,37	1450	2895	66
		DAXI 450-5-25	380	50	0,55	1456	4180	69
		DAXI 500-5-25	380	50	0,55	1453	5845	72
		DAXI 560-5-25	380	50	0,75	1466	8150	75
		DAXI 630-5-30	380	50	1,1	1465	13480	80
		DAXI 710-5-30	380	50	1,5	1472	19210	83
		DAXI 800-5-30	380	50	2,2	1459	25560	85
		DAXI 800-5-35	380	50	3	1463	30940	89
		DAXI 900-5-35	380	50	4	1471	39250	90
		DAXI 900-5-40	380	50	5,5	1472	44635	93
		DAXI 1000-5-40	380	50	7,5	1478	54570	94
		DAXI 900-8-40	380	50	11	1454	46200	94
		DAXI 1000-8-40	380	50	15	1456	62250	97
		DAXI 1000-8-45	380	50	18,5	1458	69070	99
DAXI 1120-8-40	380	50	22	1471	86620	100		
DAXI 1120-8-45	380	50	30	1474	95270	102		
39	 <b>BAXI</b>	BAXI 710-5-30	380	50	1,5	1472	17000	83
		BAXI 800-5-30	380	50	2,2	1459	22250	85
		BAXI 800-5-35	380	50	3	1463	26940	89
		BAXI 900-5-35	380	50	4	1471	34150	90
		BAXI 900-5-40	380	50	5,5	1472	40000	93
		BAXI 1000-5-40	380	50	7,5	1478	49570	94
		BAXI 900-8-40	380	50	11	1454	43200	94
		BAXI 1000-8-40	380	50	15	1456	58850	97
		BAXI 1000-8-45	380	50	18,5	1458	66070	99
		BAXI 1120-8-40	380	50	22	1471	84620	100
		BAXI 1120-8-45	380	50	30	1474	92270	102
43	 <b>GAXI</b>	GAXI 560-5-25	380	50	0,75	1466	8150	75
		GAXI 630-5-30	380	50	1,1	1465	13480	80
		GAXI 710-5-30	380	50	1,5	1472	19210	83
		GAXI 800-5-30	380	50	2,2	1459	25560	85

45	 <b>AXIP</b>	AXIP 400-5-25	380	50	0,37	1450	2895	66
		AXIP 450-5-25	380	50	0,55	1456	4180	69
		AXIP 500-5-25	380	50	0,55	1453	5845	72
		AXIP 560-5-25	380	50	0,75	1466	8150	75
		AXIP 630-5-30	380	50	1,1	1465	13480	80
		AXIP 710-5-30	380	50	1,5	1472	19210	83
		AXIP 800-5-30	380	50	2,2	1459	25560	85
		AXIP 800-5-35	380	50	3	1463	30940	89
		AXIP 900-5-35	380	50	4	1471	39250	90
		AXIP 900-5-40	380	50	5,5	1472	44635	93
		AXIP 1000-5-40	380	50	7,5	1478	54570	94
49	 <b>CAXI</b>	CAXI 400-5-25	380	50	0,37	1450	1200	66
		CAXI 450-5-25	380	50	0,55	1456	2200	69
		CAXI 500-5-25	380	50	0,55	1453	3950	72
		CAXI 560-5-25	380	50	0,75	1466	6100	75
		CAXI 630-5-30	380	50	1,1	1465	11000	80
		CAXI 710-5-30	380	50	1,5	1472	17000	83
		CAXI 800-5-30	380	50	2,2	1459	22250	85
		CAXI 800-5-35	380	50	3	1463	26940	89
		CAXI 900-5-35	380	50	4	1471	34150	90
		CAXI 900-5-40	380	50	5,5	1472	40000	93
		CAXI 1000-5-40	380	50	7,5	1478	49570	94
		CAXI 900-8-40	380	50	11	1454	43200	94
		CAXI 1000-8-40	380	50	15	1456	58850	97
		CAXI 1000-8-45	380	50	18,5	1458	66070	99
		CAXI 1120-8-40	380	50	22	1471	84620	100
CAXI 1120-8-45	380	50	30	1474	92270	102		
53	 <b>CTAXI</b>	CTAXI 450-5-25 F300 °C / 2H.	380	50	0,55	1456	2200	69
		CTAXI 500-5-25 F300 °C / 2H.	380	50	0,55	1453	3950	72
		CTAXI 560-5-25F300 °C / 2H.	380	50	0,75	1466	6100	75
		CTAXI 630-5-30 F300 °C / 2H.	380	50	1,1	1465	11000	80
		CTAXI 710-5-30 F300 °C / 2H.	380	50	1,5	1472	17000	83
		CTAXI 800-5-30 F300 °C / 2H.	380	50	2,2	1459	22250	85
		CTAXI 800-5-35 F300 °C / 2H.	380	50	3	1463	26940	89
		CTAXI 900-5-35 F300 °C / 2H.	380	50	4	1471	34150	90
		CTAXI 900-5-40 F300 °C / 2H.	380	50	5,5	1472	40000	93
		CTAXI 1000-5-40 F300 °C / 2H.	380	50	7,5	1478	49570	94
		CTAXI 900-8-40 F300 °C / 2H.	380	50	11	1454	43200	94
		CTAXI 1000-8-40 F300 °C / 2H.	380	50	15	1456	58850	97
		CTAXI 1000-8-45 F300 °C / 2H.	380	50	18,5	1458	66070	99
		CTAXI 1120-8-40 F300 °C / 2H.	380	50	22	1471	84620	100
CTAXI 1120-8-45 F300 °C / 2H.	380	50	30	1474	92270	102		
		CTAXI 450-5-25 F400 °C / 2H.	380	50	0,55	1456	2200	69
		CTAXI 500-5-25 F400 °C / 2H.	380	50	0,55	1453	3950	72
		CTAXI 560-5-25F400 °C / 2H.	380	50	0,75	1466	6100	75
		CTAXI 630-5-30 F400 °C / 2H.	380	50	1,1	1465	11000	80

57	 <b>CTAXI</b>	CTAXI 710-5-30 F400 °C / 2H.	380	50	1,5	1472	17000	83
		CTAXI 800-5-30 F400 °C / 2H.	380	50	2,2	1459	22250	85
		CTAXI 800-5-35 F400 °C / 2H.	380	50	3	1463	26940	89
		CTAXI 900-5-35 F400 °C / 2H.	380	50	4	1471	34150	90
		CTAXI 900-5-40 F400 °C / 2H.	380	50	5,5	1472	40000	93
		CTAXI 1000-5-40 F400 °C / 2H.	380	50	7,5	1478	49570	94
		CTAXI 900-8-40 F400 °C / 2H.	380	50	11	1454	43200	94
		CTAXI 1000-8-40 F400 °C / 2H.	380	50	15	1456	58850	97
		CTAXI 1000-8-45 F400 °C / 2H.	380	50	18,5	1458	66070	99
		CTAXI 1120-8-40 F400 °C / 2H.	380	50	22	1471	84620	100
		CTAXI 1120-8-45 F400 °C / 2H.	380	50	30	1474	92270	102
61	 <b>CAXIDIK</b>	CAXIDIK 400-5-25	380	50	0,37	1450	1200	66
		CAXIDIK 450-5-25	380	50	0,55	1456	2200	69
		CAXIDIK 500-5-25	380	50	0,55	1453	3950	72
		CAXIDIK 560-5-25	380	50	0,75	1466	6100	75
		CAXIDIK 630-5-30	380	50	1,1	1465	11000	80
		CAXIDIK 710-5-30	380	50	1,5	1472	17000	83
		CAXIDIK 800-5-30	380	50	2,2	1459	22250	85
		CAXIDIK 800-5-35	380	50	3	1463	26940	89
64	 <b>KMF</b>	KMF 800 - 5 - 30	380	50	0,25	720	13000	66
65	 <b>SOF</b>	SOF 250	220	50	50	1380	1000	78
		SOF 300	220	50	90	1370	1700	80
		SOF 350	220	50	138	1370	2980	82
		SOF 400	220	50	180	1350	3900	85
		SOF 450	220	50	250	1380	5100	87
		SOF 500	220-380	50	470	1370	6900	88
		SOF 630	220-380	50	900	1320	12300	90
	 <b>AXIS</b>	AXIS 200	230	50	70	2650	680	50





67		AXIS 250	230	50	100	2700	1500	52
		AXIS 300	230	50	163	2550	2025	54
		AXIS 350	230	50	240	2250	3110	58
69		DAXIS 200	230	50	70	2650	680	50
		DAXIS 250	230	50	100	2700	1500	52
		DAXIS 300	230	50	163	2550	2025	54
		DAXIS 350	230	50	240	2250	3110	58
71		KDAXIS 200	230	50	70	2650	680	50
		KDAXIS 250	230	50	100	2700	1500	52
		KDAXIS 300	230	50	163	2550	2025	54
		KDAXIS 350	230	50	240	2250	3110	58
73		KAP 100	230	50	54	2148	203	39
		KAP 125	230	50	56	2190	298	44
		KAP 150	230	50	75	2110	444	46
		KAP 160	230	50	75	2137	490	47
75		KAF 100	230	50	54	2460	234	52
		KAF 125	230	50	56	2560	337	54
		KAF 150	230	50	75	2490	504	65
		KAF 160	230	50	75	2490	560	65
		KAF 200	230	50	111	2410	1012	65






		KAF 250	230	50	280	2460	1350	74
		KAF 315	230	50	476	2476	1970	76
77	 <b>RAD</b>	RAD 100	230	50	80	2600	290	47
		RAD 125	230	50	80	2600	410	47
		RAD 150	230	50	85	2600	700	50
		RAD 160	230	50	85	2600	710	51
		RAD 200	230	50	122	2675	1000	52
		RAD 250	230	50	145	2685	1120	54
		RAD 315	230	50	210	2615	1750	57
		RAD 355	230	50	380	2480	2200	59
81	 <b>REC</b>	REC 30-15	230	50	90	2600	520	70
		REC 40-20 A	230	50	104	2675	950	73
		REC 40-20 B	230	50	130	2685	1150	75
		REC 50-25	230	50	180	2615	1600	78
		REC 60-30	230	50	147	1360	2350	70
		REC 60-35	230	50	380	1362	3400	83
		REC 70-40	230	50	690	1367	4900	83
		REC 80-50	230-380	50	830	1364	7000	86
		REC 100-50	380	50	1460	1369	9300	86
85		CUB 100	230	50	80	2600	290	61
		CUB 125	230	50	80	2600	410	63
		CUB 150	230	50	85	2600	700	68
		CUB 160	230	50	85	2600	710	69
		CUB 200	230	50	122	2675	1000	72
		CUB 250	230	50	145	2685	1120	74
		CUB 315	230	50	210	2615	1750	77





	 <p><b>CUB</b></p>	CUB 355	230	50	380	1410	2200	80
		CUB 400	230	50	380	1362	3400	83
		CUB 450	230	50	690	1367	4900	83
		CUB 500	230-380	50	830	1364	7000	86
		CUB 560	380	50	1460	1369	9300	86
87	 <p><b>DREC</b></p>	DREC 280	380	50	0,18	1450	1100	70
		DREC 315	380	50	0,25	1469	1600	73
		DREC 355	380	50	0,37	1471	2300	75
		DREC 400	380	50	0,55	1478	3300	78
		DREC 450	380	50	0,75	1454	5000	70
		DREC 500	380	50	1,1	1462	7000	83
		DREC 560	380	50	1,5	1464	9800	83
89	 <p><b>MEF</b></p>	MEF 315	380	50	0,25	1469	1600	73
		MEF 355	380	50	0,37	1471	2300	75
		MEF 400	380	50	0,55	1478	3300	78
		MEF 450	380	50	0,75	1454	5000	70
		MEF 500	380	50	1,1	1462	7000	83
93	 <p><b>HMEF</b></p>	HMEF 280	380	50	0,18	1450	1100	73
		HMEF 315	380	50	0,25	1469	1600	73
		HMEF 355	380	50	0,37	1471	2300	75
		HMEF 400	380	50	0,55	1478	3300	78
		HMEF 450	380	50	0,75	1454	5000	70
		HMEF 500	380	50	1,10	1462	7000	83
		HMEF 560	380	50	1,50	1464	9800	74
		HMEF 630	380	50	3,00	1465	14000	89
		HMEF 710	380	50	4,00	950	13000	89











95	 <p><b>KASP</b></p>	KASP 400	230	50	380	1362	2400	74
		KASP 450	230	50	690	1367	3300	77
		KASP 500	230-380	50	830	1364	5200	82
		KASP 560	380	50	1460	1369	7200	83
97	 <p><b>HASP</b></p>	HASP 280	380	50	0,18	1450	1100	73
		HASP 315	380	50	0,25	1469	1600	73
		HASP 355	380	50	0,37	1471	2300	75
		HASP 400	380	50	0,55	1478	3300	78
		HASP 450	380	50	0,75	1454	5000	70
		HASP 500	380	50	1,1	1462	7000	83
		HASP 560	380	50	1,5	1464	9800	74
		HASP 630	380	50	3	1465	14000	89
		HASP 710	380	50	4	950	13000	89
101	 <p><b>EC-CRAD</b></p>	EC-CRAD 190	230	50/60	161	4555	974	81
		EC-CRAD 225	230	50/60	168	3540	1270	77
		EC-CRAD 250	230	50/60	302	3400	1810	75
		EC-CRAD 315	230	50/60	307	2180	3250	71
		EC-CRAD 355	380	50/60	770	2400	5590	84
		EC-CRAD 400	380	50/60	2384	2680	10220	84
		CRAD 190	230	50	90	2600	520	70
		CRAD 225	230	50	104	2675	950	73
		CRAD 250	230	50	130	2685	1150	75
		CRAD 280	230	50	180	2615	2000	78

103	 <p><b>CRAD</b></p>	CRAD 355	230	50	185	1365	2350	70
		CRAD 400	230	50	380	1365	3400	83
		CRAD 450	230	50	690	1365	4900	83
		CRAD 500	230-380	50	1080	1365	7000	86
		CRAD 560	380	50	1670	1365	9300	86
107	 <p><b>CRADIK</b></p>	CRADIK 190	230	50	90	2600	520	70
		CRADIK 225	230	50	104	2675	950	73
		CRADIK 250	230	50	130	2685	1150	75
		CRADIK 280	230	50	180	2615	2000	78
		CRADIK 355	230	50	185	1365	2350	70
		CRADIK 400	230	50	380	1365	3400	83
		CRADIK 450	230	50	690	1365	4900	83
		CRADIK 500	230-380	50	1080	1365	7000	86
		CRADIK 560	380	50	1670	1365	9300	86
111	 <p><b>MRAD</b></p>	MRAD 315	230	50	190	2700	1930	63
	 <p><b>DRAD</b></p>	DRAD 280	380	50	0,18	1450	1100	73
		DRAD 315	380	50	0,25	1469	1600	73
		DRAD 355	380	50	0,37	1471	2300	75

113	 <b>DRAD</b>	DRAD 400	380	50	0,55	1478	3300	78
		DRAD 450	380	50	0,75	1454	5000	70
		DRAD 500	380	50	1,1	1462	7000	83
		DRAD 560	380	50	1,5	1464	9800	74
115	 <b>DRADIK</b>	DRADIK 280	380	50	0,18	1450	1100	73
		DRADIK 315	380	50	0,25	1469	1600	73
		DRADIK 355	380	50	0,37	1471	2300	75
		DRADIK 400	380	50	0,55	1478	3300	78
		DRADIK 450	380	50	0,75	1454	5000	70
		DRADIK 500	380	50	1,1	1462	7000	83
		DRADIK 560	380	50	1,5	1464	9800	74
117	 <b>SAL</b>	SAL 280	380	50	0,18	1450	1100	73
		SAL 315	380	50	0,25	1469	1600	73
		SAL 355	380	50	0,37	1471	2300	75
		SAL 400	380	50	0,55	1478	3300	78
		SAL 450	380	50	0,75	1454	5000	70
		SAL 500	380	50	1,1	1462	7000	83
		SAL 560	380	50	1,5	1464	9800	74
		SAL 630	380	50	3	1465	14000	89
		SAL 710	380	50	4	950	13000	89
121	 <b>KAZ</b>	KAZ 120	230	50	84	2450	275	55
		KAZ 140	230	50	137	2265	485	58
		KAZ 160	230	50	193	2100	600	61
	 <b>IGK 10</b>	IGK 10	230	50	250 W	2668	1000	99

123	 <p><b>IGK</b></p>	IGK 20	230	50	400 W	2396	2000	89
		IGK 30	230	50	780 W	1465	2700	91
		IGK 40	230	50	1300 W	1410	4000	95
		IGK 50	230	50	1700 W	1380	6000	96
127	 <p><b>SHU</b></p>	SHU 3	230	50	150 W	2710	300	89
		SHU 5	230	50	150 W	2680	500	91
		SHU 7	230	50	150 W	2712	700	95
		SHU 9	230	50	260 W	2712	900	96
		SHU 13	230	50	260 W	2610	1300	99
		SHU 18	230	50	480 W	1465	1800	89
		SHU 30	230	50	640 W	1420	3000	91
		SHU 36	230	50	900 W	1365	3600	95
		SHU 43	380	50	1430 W	1370	4300	96
		SHU 54	380	50	1430 W	1320	5400	96
131	 <p><b>FFU</b></p>	FFU 5	230	50	85 W	2722	665	73
		FFU 10	230	50	122 W	2670	950	73
		FFU 20	230	50	210 W	2580	1665	75
		FFU 30	230	50	380 W	1420	3230	78
		FFU 40	230	50	690 W	1365	4655	80
133	 <p><b>FFUH</b></p>	FFUH 10	230	50	104 W	2675	800	73
		FFUH 20	230	50	130 W	2685	1500	75
		FFUH 30	230	50	180 W	2615	2000	78

135		HTUY 457	230	50	104 W	2675	340	73
		HTUY 610	230	50	180 W	2615	600	78
137		HTUT 13	230	50	0,25	2362	1200	58
139		HFFU 610-610	230	50	125	2410	600	65
		HFFU 610-1220	230	50	270	2410	1200	68
141		BAF 100	230	50	14 W	2800	97	35
		BAF 125	230	50	16 W	2800	183	36
		BAF 150	230	50	16 W	2800	290	38

143		SEF 100	230	50	14 W	2800	90	25
		SEF 125	230	50	16 W	2800	180	30
145		YUF 100	230	50	14 W	2800	107	35
		YUF 125	230	50	18 W	2800	190	36
		YUF 150	230	50	22 W	2800	300	38
149		PGA 100	0	0	0	0	120	0
		PGA 125	0	0	0	0	175	0
		PGA 150	0	0	0	0	250	0
147		KHA 2,5 A	0	0	0	0	0	0
		KHA 5,0 A	0	0	0	0	0	0
		KHA 7,5 A	0	0	0	0	0	0
		KHA 10,0 A	0	0	0	0	0	0
		0,55 KW	0	0	0	0	0	0
		0,75 KW	0	0	0	0	0	0
		1,10 KW	0	0	0	0	0	0

147

HAYI



TFK

1,50 KW	0	0	0	0	0	0
2,20 KW	0	0	0	0	0	0
3,00 KW	0	0	0	0	0	0
4,00 KW	0	0	0	0	0	0
5,50 KW	0	0	0	0	0	0
7,50 KW	0	0	0	0	0	0
11,00 KW	0	0	0	0	0	0
15,00 KW	0	0	0	0	0	0
18,50 KW	0	0	0	0	0	0
22,00 KW	0	0	0	0	0	0
30,00 KW	0	0	0	0	0	0
37,00 KW	0	0	0	0	0	0
45,00 KW	0	0	0	0	0	0

150







SER 350	230	50	180	1365	4100	73
SER 400	230	50	250	1365	5890	73
SER 500	230	50	250	1365	7400	75
SER 600	230	50	370	1365	8900	78

151

HAYI



TAV 100	380	50	370	610	22.500	73
---------	-----	----	-----	-----	--------	----

151	 <b>TAV</b>	TAV140	380	50	1.100	439	44.500	73
153	 <b>MKYD</b>	Ø100	0	0	0	0	250	L=170 mm
		Ø125	0	0	0	0	350	L=170 mm
		Ø150	0	0	0	0	450	L=170 mm
		Ø200	0	0	0	0	800	L=170 mm
		Ø250	0	0	0	0	1200	L=170 mm
		Ø315	0	0	0	0	1800	L=170 mm
		Ø355	0	0	0	0	2200	L=355 mm
		Ø400	0	0	0	0	2900	L=400 mm
153	 <b>TYYK</b>	Ø100	0	0	0	0	0	0
		Ø125	0	0	0	0	0	0
		Ø150	0	0	0	0	0	0
		Ø200	0	0	0	0	0	0
		Ø250	0	0	0	0	0	0
		Ø315	0	0	0	0	0	0
154	 <b>HAYI</b>	Ø100	0	0	0	0	0	L=500 mm
		Ø125	0	0	0	0	0	L=500 mm
		Ø150	0	0	0	0	0	L=500 mm
		Ø200	0	0	0	0	0	L=500 mm
		Ø250	0	0	0	0	0	L=500 mm
		Ø315	0	0	0	0	0	L=500 mm
		Ø355	0	0	0	0	0	L=1000 mm
		Ø400	0	0	0	0	0	L=1000 mm
		Ø450	0	0	0	0	0	L=1000 mm
		Ø500	0	0	0	0	0	L=1000 mm
		Ø560	0	0	0	0	0	L=1000 mm
		Ø630	0	0	0	0	0	L=1000 mm



## SUSTURUCU

Ø710	0	0	0	0	0	L=1000 mm
Ø800	0	0	0	0	0	L=1000 mm
Ø900	0	0	0	0	0	L=1000 mm
Ø1000	0	0	0	0	0	L=1000 mm
Ø1120	0	0	0	0	0	L=1000 mm
Ø1250	0	0	0	0	0	L=1000 mm

154

HAYI



## SUSTURUCU

EN/BOY	200 mm	300 mm	400 mm	500 mm	600 mm	700 mm
200 mm	€ 74,00	€ 78,00	€ 98,00	€ 104,00	€ 126,00	€ 137,00
300 mm	€ 78,00	€ 81,00	€ 104,00	€ 111,00	€ 137,00	€ 149,00
400 mm	€ 98,00	€ 104,00	€ 111,00	€ 137,00	€ 149,00	€ 185,00
500 mm	€ 104,00	€ 111,00	€ 137,00	€ 149,00	€ 185,00	€ 195,00
600 mm	€ 126,00	€ 137,00	€ 149,00	€ 185,00	€ 195,00	€ 209,00
700 mm	€ 137,00	€ 149,00	€ 185,00	€ 195,00	€ 209,00	€ 231,00
800 mm	€ 170,00	€ 185,00	€ 195,00	€ 209,00	€ 231,00	€ 270,00
900 mm	€ 185,00	€ 195,00	€ 209,00	€ 231,00	€ 270,00	€ 290,00
1000 mm	€ 221,00	€ 234,00	€ 254,00	€ 270,00	€ 290,00	€ 312,00
1120 mm	€ 264,00	€ 278,00	€ 297,00	€ 309,00	€ 332,00	€ 351,00
L=500 mm						